

IBC[™] Brand Cleaner LC, SC

Patented fiber optic cleaner (US Conec) for cleaning SC, FC, ST and LC connectors. The cleaning pin turns while the cleaning band is drawn over the fiber end surface. This ensures that the fiber end surface is left clean after a single cleaning operation.

ART.NO.	IBC™ BRAND CLEANER SC 7430000063	IBC™ BRAND CLEANER LC 7430000062
Number	9392	9393
Description	IBC™ Brand Cleaner SC for 2.5 mm connectors - SC, FC and ST for UPC and APC polishes	IBC™ Brand Cleaner for LC- and MU-fiber connectors with 1.25 mm ferrules, for PC/APC polishes
Environmental properties	Crush resistance up to 45 lbs Impact resistance up to 6 feet Operating temperature range -10 °C to 60 <°C	

APPLICATIONS

- Fiber network panels and assemblies
- Outdoor FTTX applications
- Cable assembly production
- Test laboratory
- Servers, switches, routers and OADMS with SC, FC, ST and LC interface

Individual. Innovative. Exceptional.

IMM Photonics GmbH | Ohmstraße 4 | 85716 Unterschleißheim | Germany | imm-photonics.de



IBC[™] Brand Cleaner LC, SC

FEATURES

- Easy pushing motion engages connector and initiates cleaning
- Disposable with 525+ cleanings per unit
- Made from antistatic resins
- Cleaning micro fibers are densely stranded and debris-free
- Cleaning system rotates 180° for a full sweep
- Extendable (27 mm) tip reaches recessed connectors
- Audible click when fully engaged
- Proven effective at removing (test reports available): Arizona Road Dust, Dryer Lint, Graphite Post Mate, Distiled H₂O Residue, NaCl Residue, Skin Oil, Graphite - Pre Mate, 70 % IPA Residue, Hand Lotion, Vegetable Oil

NOTES

Compliant with RoHS-requirements (2011/65/EU from June 8, 2011). Distributed by IMM Photonics GmbH. For USA based customers please contact USConec directly.

The above product specifications are subject to change without notice. Release 07/2025



